



# PRINT INFORMATION SHEET

This document is designed to guide you through the Print design process. Print is a customization option that offers complete design freedom. Achieve natural high-end finishes without the cost, weight, and rigidity of materials such as timber, tile, and marble. Print solid color, intricate patterns, and contemporary designs to create striking acoustic art pieces.

Easy to color match, we can print to your selected CMYK or Pantone palette ensuring color continuity throughout your design. Print is available on Cube™ 1/2" | 1", Frontier™, Cascade™, Lattice™, Vicinity™, Horizon™, and Quietspace® Panel 1". To specify Print for your project you will need to supply the data sheet or brochure of the selected product as well as the Print Manufacturer's Guarantee.

## **FOR MORE INFORMATION ON PRINT PLEASE REFER TO THE FOLLOWING DOCUMENTS:**

- Print Lookbook
- Print Install Instructions
- Print Manufacturer's Guarantee
- Cube Data Sheet

## **FEATURES & BENEFITS**

- Safe, water-based, UV cured vegetable ink
- Low VOC
- No MOQ's and short lead times (initially 2 weeks)
- Available across a range of high-performance acoustic treatments
- Endless customization options
- Crisp colors and lines
- Made in New Zealand



## HOW TO SPECIFY PRINT

- Select the acoustic product you want e.g. Cube™ 1/2" | 1", Frontier™, Cascade™, Lattice™, Vicinity™, Horizon™, and Quietspace® Panel 1".
- Choose from our suggestions, or supply a bespoke design (please refer to the Print Guide for suggestions).
- For panel/product sizes, refer to the relevant product datasheet.
- For patterns/vectors, please supply as follows:
  - File format: EPS or Ai (Illustrator file)
  - Color mode: CMYK
  - File setup: Supply at full 1:1 scale with dimensions noted. Pattern repeats are recommended to be seamless.
  - For prints at or below 4' x 8', a 1/2" overprint bleed is required for cutting.
  - For prints over 4' x 8' or across multiple panels please get in touch with your account manager.
- For images, please supply as follows:
  - File format: Jpeg or PSD (Photoshop file)
  - Color mode: CMYK for PSD, RGB for JPEG
  - File setup: Images to be supplied at full 1:1 scale, resolution to be minimum 150 DPI, ideal 300DPI. Artwork to be supplied with dimensions noted. For prints at or below 14' x 8', a 1/2" overprint bleed is required for cutting. For prints over 4' x 8' or across multiple panels please get in touch with your account manager.
  - When supplying an image for Print, you need permission from the creator of the content to use it in your intended way. Please make sure you have all the correct permissions rights in writing before supplying the image. Alternatively, you can consider having artwork created specifically for your particular project.



If you have any questions about specifying Print, please contact your Autex account manager. Your account manager will liaise with our in-house design team to create the acoustic products required for your project.